

06-09-00

A

PTO/SB/05 (12/97)

Please type a plus sign (+) inside this box → ☐Approved for use through 09/30/00. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

TI-29099

First Named Inventor or Application Identifier

Yu-Hung Kao

Title

Method of Generating a Compact Text-to-Phone Pronunciation Dictionary

Express Mail Label No.

EI 547745385US

APPLICATION ELEMENTS

See MPEP Chapter 600 concerning utility patent application contents

ADDRESS TO:Assistant Commissioner for Patents
Box Patent Application
Washington, DC 202311. ☒ *Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original, and a duplicate for fee processing)6. ☐ Microfiche Computer Program (Appendix)2. ☒ Specification [Total Pages **11**]
(preferred arrangement set forth below)7. ☐ Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)

- Descriptive title of the Invention
- Cross References to Related Applications
- Statement Regarding Fed sponsored R&D
- Reference to Microfiche Appendix
- Background of the Invention
- Brief Summary of the Invention
- Brief Description of the Drawings (if filed)
- Detailed Description

a. ☐ Computer Readable Copyb. ☐ Paper Copy (identical to computer copy)c. ☐ Statement verifying identical of above copies3. ☒ Drawing(s) (35 USC d113) [Total Sheets **1**]4. Oath or Declaration [Total Pages **1**]a. ☒ Newly Executed (original or copy)b. ☐ Copy from a prior application (37 CFR §1.63(d))
(for continuation/divisional with Box 17 completed)**[Note Box 5 below]**i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s)
named in the prior application,
see 37 CFR §1.63(d)(2) and 1.33(b).5. ☐ Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of
the oath or declaration is supplied under Box 4b, is considered as
being part of the disclosure of the accompanying application and is
hereby incorporated by reference therein.**ACCOMPANYING APPLICATION PARTS**8. ☒ Assignment Papers (cover sheet & Documents(s))9. ☐ 37 CFR §3.73(b) Statement (when there is an assignee) ☒ Power of Attorney10. ☐ English Translation Document (if applicable)11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations12. ☒ Preliminary Amendment13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)14. ☐ *Small Entity Statement(s) ☐ Statement filed in prior application
(PTO/SB/09-12) Status still proper and desired15. ☐ Certified Copy of Priority Document(s)
if foreign priority is claimed16. ☐ Other:

*A new statement is required to be entitled to pay small entity fees, except where one has been filed in a prior application and is being relied upon.

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information below and in a preliminary amendment:

☐ Continuation☐ Divisional☐ Continuation-in-part (CIP)

of prior application No:

Prior application information: Examiner

Group / Art Unit:

18. CORRESPONDENCE ADDRESS☐ Customer Number or Bar Code Label**23494**

(Insert Customer No. or Attach bar code label here)

or ☒ Correspondence address below

NAME

ADDRESS

CITY

STATE

ZIP CODE

COUNTRY

TELEPHONE

FAX

Name (Print/Type)

Robert L. Troike

Registration No. (Attorney/Agent)

24,183

Signature

Robert L. Troike

Date

4/8/00

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

06/08/00

jc915 U.S. PTO

0650643-060000

jc542 U.S. PTO
09/590613

06/08/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

TI-29099

Yu-Hung Kao

Examiner: TBD

Serial No: TBD

Art Unit: TBD

Filed: Herewith


For: Method of Generating a Compact Text-to-Phone Pronunciation Dictionary

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D. C. 20231

Dear Sir:

"EXPRESS MAILING" Mailing Label No. EL547745385US I hereby certify that this paper is being deposited with the U.S. Postal Service Express Mail Post Office to Addressee Service under 37 CFR 1.10 on the date shown below and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.


Robert L. Troike, Reg. No. 24,183


6/8/00
Date

This application claims priority under 35 USC 119 (e)(1) of provisional application number 60/144,216, filed 07/19/99.

Prior to the examination of the above-identified application, please amend the specification by inserting before the first line the sentence:

--This application claims priority under 35 USC § 119(e)(1) of provisional application number 60/144,216, filed 07/19/99.--

Respectfully submitted,



Robert L. Troike
Attorney for Applicant
Reg. No. 24,183

Texas Instruments Incorporated
P. O. Box 655474, MS 3999
Dallas, TX 75265
(202) 639-7710
Fax: (202) 639-7890

METHOD OF GENERATING A COMPACT TEXT-TO-PHONE PRONUNCIATION DICTIONARY

5 Field of Invention

This invention relates to a method to convert text into its correct phone sequence and form a compact phone dictionary that may be embedded in a compact computer chip.

Background of Invention

10 In a large vocabulary speech recognition system, a text-to-phone component is required to convert the text into its correct phone sequence. The system then selects corresponding phonetic models to construct recognition models based on the phone sequence. The size and complexity of the text-to-phone component vary widely for different languages. For a language with more regular pronunciations than English, such as Spanish, a few hundred rules are enough
15 to convert text to phone accurately. On the other hand, for a language with more irregular pronunciation, such as English, tens of thousands of rules are required to convert text to phone accurately. There are about as many pronunciation rules as there are words in English. It is really a pronunciation dictionary. We use a typical English pronunciation dictionary with 70,955 entries. It takes up to 1,826,302 bytes in ASCII form.

20 It is highly challenging to implement the text-to-phone dictionary in an embedded system such as part of a computer chip where memory space is a premium. One such use, for example, is building speech recognition models for a phrase used in a voice controlled web browser. One has to start with the text and look up a pronunciation dictionary of phones for the text. Once the phones are identified and the sequence of phones for words are determined, HMM model for
25 each phone is determined. A dictionary with 1.8 Mbytes is too large a storage requirement for an embedded system. While compression techniques such as the asymptotically optimal Lempel-ZIV coding can be used for compression, this form of compression is not computable or searchable. The compressed data must be uncompressed to do a dictionary lookup. One, therefore, must have the memory space to do the lookup and therefore the uncompression defeats
30 the purpose of saving memory space.

In addition, dictionary lookup usually requires additional data structures other than the dictionary itself. For example, once a dictionary is loaded into the memory which requires, for the example, 1.8 Mbytes, a very large array of address pointers is required to search the memory.

5 **Summary of Invention**

In accordance with one embodiment of the present invention, a resource efficient representation of a pronunciation dictionary is provided by efficiently formatting the pronunciation dictionary by reducing vocabulary.

10 In accordance with another embodiment of the present invention, the dictionary only contains entries with pronunciation rules different from the rule set prediction.

Description of the Drawings

FIG. 1 is a block diagram of a recognition system according to one embodiment of the present invention with an embedded dictionary; and

15 FIG. 2 illustrates steps for making a compact text-to-phone dictionary.

Description of Preferred Embodiment of the Present Invention

Referring to FIG. 1, there is illustrated a block diagram of a speech recognition system including an analog to digital (A/D) converter 11 for providing digital samples of the speech. The output of the A/D converter is provided to a Mel Frequency Cepstral Coefficient (MFCC) processor 13. The output of the processor is provided to a recognizer 15. The recognizer also includes acoustic models of words to be recognized in the recognizer. The recognizer includes a processor with embedded memory for storing the acoustic model 15a. The acoustic models are made from phones from a pronunciation dictionary 15b using context dependent decision tree 15c. See, for example, Applicant's application entitled "Low Resource Decision Tree," application serial number (Texas Instruments, Inc. No. TI-29100) , filed even date herewith. This application is incorporated herein by reference. A text-to-phone component is required to convert text into its correct phone sequence using the decision tree 15c. The present invention is to compress the size of the pronunciation dictionary 15b while maintaining the computability or

20
25

searchability. Uncompressing a compression scheme such as in the Lempel-ZIV coding defeats the purpose of keeping the dictionary small at all times.

The format of a dictionary follows the example format below:

5 ABLE ey b ax l
ABLEST ey b l. ih s t
ABLE_BODIED ey b ax l b aa d iy d
ABLY ey b l iy
ABNER ae b n er
10 ABNORMAL ae b n ow r m ax l
ABNORMALITIES ae b n ow r m ae l ih t iy z
ABNORMALITY ae b n er m ae l ih t iy
ABNORMALLY ae b n ow r m ax l iy
ABOARD ax b ow r d
...
15 BARGAIN b aa r g ax n
BARGAINED b aa r g ax n d
BARGAINER b aa r g ax n er
BARGAINERS b aa r g ax n er z
BARGAINING b aa r g ax n ih ng
20 BARGAINS b aa r g ax n z
BARGE b aa r jh
BARGED b aa r jh d
BARGELLO b aa r jh eh l ow
BARGER b aa r jh er
25 BARGES b aa r jh ih z
...

Every entry takes up one line: the word followed by tab, followed by phone sequence.

30 In accordance with one embodiment of the present invention, delta coding is used between neighbors since word and phone sequences look a lot alike between neighbors. This is step 101 in FIG. 2. A typical English language phone set is 46 phones. There can be up to three letters in text in each phone. One byte is used to code each phone. Because the dictionary is sorted by the text of the word, maximum prefix overlap between words occurs with immediately neighboring entries. In accordance with the prefix delta encoding of the word herein, the number
35 of overlapping characters with previous entry is coded using a negative number byte. For example, the entry "abandoned" is followed by "abandoning," then "abandoning" is encoded as "-7ing." This means using the first seven of the nearest neighbor and adding on "ing." Ten bytes is reduced to four bytes. The seven letters are represented by "7." The negative is used to

distinguish from ASCII (ASCII ≤ 127 , thus always positive). The prefix delta coding is used when the overlapping is more than one character.

This algorithm is very effective due to the fact that the dictionary is sorted in alphabetical order. For an English dictionary list of 70,955, it is almost as good as the asymptotically optimal Lempel-ZIV coding wherein the original ASCII file is 616K, the Lempel-ZIV is 284K, the prefix delta encoding is 311K. The prefix delta encoding is computable or searchable.

In accordance with a preferred embodiment of the present invention, a public domain rule set from the Naval Research Laboratory is used. The rule set is from NRL Report 7948, dated January 21, 1976, published by the National Technical Information Service as document "AD/AO21929." A copy is provided in Appendix A. It has 384 rules. Each rule consists of the text to be converted to phone, left/right contexts, and the output phone sequence.

An example of one of the rules is:

{Anything, "AW", Anything, "AO"}

It means that the text "AW" will be converted to phone "AO" (as in 1AWn). The left and right contexts can be anything (do not care).

Because it is a small rule set, the accuracy of the phone sequence it predicts is not good. When all 70,955 entries in the example dictionary are run through these rules and calibrate the performance, the word error rate (WER) is 19.7%. The WER means the percentage of phones of the prediction that do not match the correct pronunciation. The sentence error rate (SER) is 69.5%. The SER means the percentage of words where the pronunciation does not completely match the prediction. In other words, the rule predicts only about 30% of the word entries correctly. Most of the errors are substitution errors. The substitution error rate is 16%. The insertion error rate is the error of wrongly inserting a phone and this error rate is 2.6%. The deletion error is a missing phone and that error rate is 1.1%. The WER error rate of 19.7% means that about 80% of the phones are predicted correctly.

Because 80% of the phones can be predicted correctly, the dictionary can be error encoded to save space. This is Step 102 in FIG. 2. For example, the correct pronunciation for the word "about" is "ax b aw t." The pronunciation from the rule prediction is "ae b aw t." According to the teaching herein, there is no need to store four bytes to store all four phones of the pronunciation. Only the prediction error is stored which is the prediction error at point 1,

phone "ax." The substitution error requires one byte for position and a second byte for the phone. Insertion error requires one byte to encode only the positions since that position is simply taken out. For deletion error, there is a need for two bytes: one for position and the second for the added phone. Since 16% is substitution error, 1.1% is the deletion error and 2.6% is the insertion error, $(16.0 + 1.1) \times 2 + 2.6 = 36.8\%$ compression is achieved using error coding. Of the 70,955 entries, 49,344 or about 70% of the entries are different from the prediction. The error rate of prediction on these 49,344 entries is:

#SNT	Corr.	Sub.	Del.	Ins.	WER	SER
49,344	77.0	21.5	1.5	3.5	26.5	100

The SER is 100% because only the difference from prediction entries is used. There are a total of 348K phones in the pronunciation of these 49,344 entries. Using the same formula, substitution and deletion require 2 bytes and insertion requires one byte, Substitution (21.5) + Deletion (1.5) = $23 \times 2 = 46$ + Insertion (3.5) = 49.5%. Error encoding of these phones will require $348K \times 49.5\% = 172K$.

There is redundancy of the error encoded pronunciation. Therefore, prefix delta encoding is applied after the error encoding to the pronunciation. This is Step 103 in FIG. 2. First, we apply the rule to the word and then we error encode the word and then we perform prefix coding. For example, the word "aboutface" we encode the pronunciation error in "about" with correction in position 1 from "ae" to phone "ax" then the prefix encoding of aboutface becomes "2," one byte only.

Using the above, there are 50,624 entries needed to code. More than 49,344 to account for multiple pronunciations. All entries of the same word are needed when some alternate pronunciations are different.

The size in bytes of 411,723 for the original ASCII is reduced to 187,734 for prefix delta encoding.

For the pronunciation, also 50,624 entries the size in bytes for original ASCII is 356,386, for the prefix delta is 218,479, for the error encoding is 172,579 and for both error encoding plus prefix delta is 129,241.

In addition to the above data, delimiter characters are needed to separate each entry and to separate word and pronunciations in each entry. Therefore, the final encoded entry comprises:

- (a) Prefix encoded word as indicated in Step 101 of FIG. 2. The first byte may be negative since it represents the number of bytes (≥ 2) of overlapping prefix with previous entry. Otherwise, all bytes are positive because all ASCII codes are positive (≤ 127).
- (b) The length of pronunciation in bytes, bitwise ORed with character 0x80 to signal the end of the word because all word bytes are positive. Because it is the length of the pronunciation, so we know where the pronunciation ends. This is the only one byte of delimiter character we need to store for each entry. This is explained later.
- (c) Error and prefix delta encoded pronunciation. Substitution and deletion errors require two bytes to code (position and phone), insertion error requires one byte to code (position). Position (6 bits) is encoded with two most significant bits (MSB) to distinguish whether it is substitution or deletion or insertion or match. Match is the prefix delta coding to be coded with 6 bits prefix overlapping count with previous neighbor entry.

Therefore, the final size of the encoded dictionary is $187,734 + 50,624 + 129,241 = 367,599$.

We can load the above files of 367,599 bytes and create an array of 50,624 addresses to access each entry. The prefix delta encoding and error encoding can be decoded easily.

However, 50,624 addresses requires $50,624 \times 4$ (address or index requires 4 bytes) = 202,496 bytes. This is too large and almost as large as the dictionary. The alternative is to embed some alignment characters (the delimiter discussed above) in the encoded dictionary so that no matter which byte we fall in the dictionary byte stream, we can always find the start of an entry. See Step 104 in FIG. 2. This alignment character has to be unique. Applicant chose, for example, 0xff and make sure in the encoding algorithm that no other bytes can be 0xff. This is done by imposing some range limitations, which is very loose, almost impossible to break. We can embed 50,624 alignment bytes, one for each entry, but there is no need for this. It has been

[illegible]

Claims:

I claim:

1. A pronunciation dictionary comprising:
alphabetized text and corresponding phones; and
overlapping characters with previous entry are prefix delta encoded.
2. The pronunciation dictionary of claim 1, including a rule set to convert text to
phones for text not in the dictionary; and
an error encoded set for those entries different from the rule set wherein the entry
only contains the difference with the rule set prediction.
3. The pronunciation dictionary of claim 2, wherein said encoded set is prefix delta
encoded.
4. The pronunciation dictionary of claim 3, including a delimiter character between
each entry.
5. A pronunciation dictionary comprising:
a rule set to convert text to phones for text not in the dictionary; and
an error encoded set for those entries different from the rule set wherein the entry
only contains the difference with the rule set prediction.
6. The dictionary of claim 5, wherein said error encoded set is prefix delta encoded.
7. The dictionary of claim 6, including a delimiter character between each entry.
8. The dictionary of claim 5, including
alphabetized text and corresponding phones; and
overlapping characters with previous entry are prefix delta encoded.

- 5
9. A processor chip for speech recognition comprising:
a processor; and
a pronunciation dictionary comprising:
alphabetized text and corresponding phones;
overlapping characters with previous entry are prefix delta encoded;
a rule set to convert text to phones for text not in the dictionary; and
an error encoded set for those entries different from the rule set wherein
the entry only contains the difference with the rule set prediction.

- 10
10. A method of making a pronunciation dictionary comprising the steps of:
alphabetizing text and corresponding phones; and
prefix delta encoding overlapping characters with previous entry.

- 15
11. The method of claim 10, including the steps of:
converting text to phones according to a rule set for the text not in the dictionary
and fit the rule set; and
error encoding the difference from the rule set for those pronunciations of text not
in the alphabetized text and not fitting the rule set.

- 20
12. The method of claim 11, wherein the error encoding is prefix delta encoded.

13. The method of claim 12, including the step of adding a delimiter between each
entry.

- 25
14. A speech recognizer including:
an input means for receiving input speech;
a processor;
speech recognition models;

said processor responsive to said models and said speech input for providing recognition scores dependent on closest match and selecting closest match; and

said models generated from pronunciation dictionary, said pronunciation dictionary comprising:

- 5 alphabetized text and corresponding phones; and
- overlapping characters with previous entry are prefix delta encoded.

5

A typical English pronunciation dictionary takes up to 1,826,302 bytes in ASCII to store. A five times compression while maintaining computability is achieved by prefix delta encoding of the word and error encoding of the pronunciation.

A typical English pronunciation dictionary takes up to 1,826,302 bytes in ASCII to store. A five times compression while maintaining computability is achieved by prefix delta encoding of the word and error encoding of the pronunciation.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Yu-Hung Kao

Serial No.: TBD

Filed: Herewith

For: Method for Generating a Compact Text-to-Phone Pronunciation Dictionary

TI-29099

Examiner: TBD

Art Unit: TBD

LETTER TO THE OFFICIAL DRAFTSPERSON

Assistant Commissioner for Patents

Washington, D.C. 20231

"EXPRESS MAILING" Mailing Label No. EL547745385US I hereby certify that this paper is being deposited with the U.S. Postal Service Express Mail Post Office to Addressee Service under 37 CFR 1.10 on the date shown below and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Robert L. Troike

Robert L. Troike, Reg. No. 24,183

6/8/00
Date

Sir:

Enclosed is **ONE (1)** sheet of formal drawings for the above-referenced case. Please charge any necessary fees to Deposit Account No. 20-0668 of Texas Instruments Incorporated. This sheet is enclosed in triplicate.

Respectfully submitted,

Robert L. Troike

Robert L. Troike
Attorney for Applicant
Reg. No. 24,183

Texas Instruments Incorporated
P.O. Box 655474, M/S 3999
Dallas, TX 75265
(202) 639-7710




FIG. 1




FIG. 2

APPLICATION FOR UNITED STATES PATENT
DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I declare that my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor if only one name is listed below, or an original, first and joint inventor if plural inventors are named below, of the subject matter which is claimed and for which a patent is sought on the invention entitled as set forth below, and the title as set forth below which is described in the attached specification; that I have reviewed and understand the contents of the specification, including the claims, as amended by any amendment specifically referred to in the oath or declaration; that no application for patent or inventor's certificate on this invention has been filed by me or my legal representatives or assigns in any country foreign to the United States of America prior to the filing date of said application; and that I acknowledge my duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, section 1.56;

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

TITLE OF INVENTION: Method of Generating a Compact Text-to-Phone Pronunciation Dictionary		
POWER OF ATTORNEY: I HEREBY APPOINT THE FOLLOWING ATTORNEYS TO PROSECUTE THIS APPLICATION AND TRANSACT ALL BUSINESS IN THE PATENT AND TRADEMARK OFFICE CONNECTED THEREWITH Robert L. Troike, #24,183; Richard L. Donaldson, #25,673; Jay M. Cantor, #19,906; Lawrence J. Bassuk, #29,043; William B. Kempler, Reg. No. 28,228; Carlton H. Hoel, #29,934; Wade James Brady, III. #32,080		
SEND CORRESPONDENCE TO: Robert L. Troike Texas Instruments Incorporated P.O. Box 655474, MS 3999 Dallas, TX 75265		DIRECT TELEPHONE CALLS TO: Robert L. Troike 202/639-7710
NAME OF INVENTOR: (1) Yu-Hung Kao	NAME OF INVENTOR: (2) N/A	NAME OF INVENTOR: (3) N/A
RESIDENCE & POST OFFICE ADDRESS: 1515 Rio Grande #1609 Plano, Texas 75075	RESIDENCE & POST OFFICE ADDRESS:	RESIDENCE & POST OFFICE ADDRESS:
COUNTRY OF CITIZENSHIP: Taiwan	COUNTRY OF CITIZENSHIP:	COUNTRY OF CITIZENSHIP:
SIGNATURE OF INVENTOR: x <i>Kao Yu-Hung</i>	SIGNATURE OF INVENTOR:	SIGNATURE OF INVENTOR:
DATE: x 12/1 99	DATE:	DATE: